

# TRACTION LC PDSA Form

This form is to submit your TRACTION PDSA form.

Please select your site below and select "next" to continue to PDSA form. Once the form has been completed, please select submit.

If you have any questions/issues/concerns, please contact Jackie Stratton ([jstratton1@bwh.harvard.edu](mailto:jstratton1@bwh.harvard.edu)) and Jack Ellrod ([jellrodt@bwh.harvard.edu](mailto:jellrodt@bwh.harvard.edu)).

Affiliated Site \*

University of Southern California

PDSA Title \*

Shared dec. making

Month \*

December

PLAN

What is the objective for this cycle? \*

To distribute RAPID-3 to all RA in-person visits

What do you predict will happen? \*

Improved monitoring of disease activity

What is the plan for the cycle? What are the steps to execute the cycle, including data collection (who, what, where, when)? \*

We planned to distribute our RAPID3 forms personally in clinic.

DO

What did you observe? Include descriptions of successful encounters, problems, and other special circumstances that may or may not have been part of the plan. \*

At least for my (LW) cohort I had a 75% adherence to RAPID3 distribution

STUDY

Summarize and analyze the observed results. What did you learn from this cycle? \*

It was difficult because I (LW) had few in-person RA patients this cycle due to ACR clinic cancellations, a sick day, Thanksgiving week, and attending as inpatient. So, I only saw 4 in-person RA patients; my fellow's data is pending.

Do the results agree with the predictions you listed in the “Plan” phase? \*

Yes

No

Other: .....

## ACT

What action are you going to take as a result of this cycle? \*

Expand the test ▼

Plan for the next cycle. What changes are needed? If expanding or adapting, what will you do to continue your learning while beginning to spread the successes? \*

Continued use of RAPID3 with the goal of 100% use for in-person visits. May eventually expand to telemedicine visits as well.  
.....

This content is neither created nor endorsed by Google.

Google Forms